

DESIWE MINER

Super Hashrate Super Efficiency Super Heat Dissipation

Product Brochure

DESIWE Advantages

New Outlook

Oxidized body shell with technical iron gray; Fashion, dirt and corrosion resistant design

Super Performance

170T | 20.5J/T

Super Heat Dissipation

First heat dissipation solution with heat pipes

SmartBoost

5000W power supply, overclocking to 200T; automatic hashrate adjustment

First miner with display

Easier operation and monitoring

**KING OF THE
COS-EFFECTIVE**

DESIWE K10 Pro



Product Specification

Normal mode	170T/S 22.5J/T±5% 3825W±5%
SmartBoost	200T/S 24.5J/T±5% 4900W±5%
Display	0.96"OLED,128*64
Crypto algorithm/coins	SHA256

Power Supply

Input voltage	200~277V
Input Frequency	47-63Hz
Input Current	IEC C19*2,32A

Hardware Configuration

Internet connection	RJ45 Ethernet
Miner size	335*195.7*299.5mm
Carton Size	445*294*407mm
Net Weight	16.2kg
Gross weight	17.5kg

Environment Requirement

Operating temperature	-10~45°C
Storage temperature	-20~70°C
Operating humidity	10%-90%RH

**PERFORMANCE
MONSTER**

**DESIWE
K10 Ultra**



Product Specification

Normal mode	170T/S 20.5J/T±5% 3485W±5%
SmartBoost	200T/S 22.0J/T±5% 4400W±5%
Display	0.96"OLED,128*64
Crypto algorithm/coins	SHA256

Power Supply

Input voltage	200~277V
Input Frequency	47-63Hz
Input Current	IEC C19*2,32A

Hardware Configuration

Internet connection	RJ45 Ethernet
Miner size	335*195.7*299.5mm
Carton Size	445*294*407mm
Net Weight	16.2kg
Gross weight	17.5kg

Environment Requirement

Operating temperature	-10~45°C
Storage temperature	-20~70°C
Operating humidity	10%-90%RH

Contact us

✉ marketing@desiwe.com

🌐 www.desiweminer.com

🖱️ Copyright © 2023 DesiweMiner All Rights Reserved



Twitter



YouTube